

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	09/902876	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 12:24
L2	22	((("5706211") or ("5745689") or ("5819284") or ("5838252") or ("5978837") or ("5995597") or ("6018762") or ("6023700") or ("6052563") or ("6138146") or ("6219694"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 12:24
L3	11	((("5706211") or ("5745689") or ("5819284") or ("5838252") or ("5978837") or ("5995597") or ("6018762") or ("6023700") or ("6052563") or ("6138146") or ("6219694"))).PN.	USPAT; USOCR	OR	OFF	2005/05/26 12:24
L4	143	((forward or reply or redirect) near3 (message and mail)).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 12:24
L5	107	((((forward or reply or redirect) near3 (message and mail)).ab.) and @ad <= "20010711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 12:24
L6	35	((((forward or reply or redirect) near3 (message and mail)).ab.) and @ad <= "20010711"	US-PGPUB; USPAT	OR	ON	2005/05/26 12:24
L7	8	((forward or reply or redirect or response) near3 (message and mail) and host).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 12:24
L8	2	((forward or reply or redirect or response) near8 (message and mail) and host and (messag\$4 near3 (system or apparatus or method))).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 12:24
L9	5	((forward\$4 or reply\$4 or redirect\$4 or response\$4) near8 (message and mail) and host and (messag\$4 near3 (system or apparatus or method))).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 12:24

L10	1161	((forward\$4 or reply\$4 or redirect\$4 or response\$4) near4 (message and mail) and host and (messag\$4 near3 (system or apparatus or method)))	US-PGPUB; USPAT	OR	ON	2005/05/26 12:24
L11	645	((forward\$4 or reply\$4 or redirect\$4 or response\$4) near4 (message and mail) and host and (messag\$4 near3 (system or apparatus or method))) and @ad <"20010711"	US-PGPUB; USPAT	OR	ON	2005/05/26 12:24
L12	0	((forward\$4 or reply\$4 or redirect\$4 or response\$4) near4 (message and mail) and host and (messag\$4 near3 (system or apparatus or method))) and @ad <"20010711") and (to and from) near3 (field or box or parameter)	US-PGPUB; USPAT	OR	ON	2005/05/26 12:24
L13	0	((forward\$4 or reply\$4 or redirect\$4 or response\$4) near4 (message and mail) and host and (messag\$4 near3 (system or apparatus or method))) and @ad <"20010711") and (from) near3 (field or box or parameter) and to near3 (field or box or parameter)	US-PGPUB; USPAT	OR	ON	2005/05/26 12:24
L14	13635	((709/206) or (709/207) or (709/223) or (709/224) or (709/225) or (709/248) or (709/245) or (709/232)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 12:24
L15	9677	((709/206) or (709/207) or (709/223) or (709/224) or (709/225) or (709/248) or (709/245) or (709/232)).CCLS.) and ((forward\$ or reply\$ or redirect\$ or respon\$) and (message or mail)).ab"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 12:24
L16	9677	((709/206) or (709/207) or (709/223) or (709/224) or (709/225) or (709/248) or (709/245) or (709/232)).CCLS.) and ((forward\$ or reply\$ or redirect\$ or respon\$) and (message or mail)).ab" and @ad <= "20010711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 12:24

L17	9677	((((709/206) or (709/207) or (709/223) or (709/224) or (709/225) or (709/248) or (709/245) or (709/232)).CCLS.) and ((forward\$ or reply\$ or redirect\$ or respon\$) and (message or mail))".ab" and @ad <= "20010711"	US-PGPUB; USPAT	OR	ON	2005/05/26 12:24
L18	8608	((((709/206) or (709/207) or (709/223) or (709/224) or (709/225) or (709/248) or (709/245) or (709/232)).CCLS.) and (direct\$ and (forward\$ or reply\$ or redirect\$ or respon\$) and (message or mail))".ab" and @ad <= "20010711"	US-PGPUB; USPAT	OR	ON	2005/05/26 12:24
L19	1318	((((709/206) or (709/207) or (709/223) or (709/224) or (709/225) or (709/248) or (709/245) or (709/232)).CCLS.) and (direct\$ near3 (forward\$ or reply\$ or redirect\$ or respon\$) and (message or mail))".ab" and @ad <= "20010711"	US-PGPUB; USPAT	OR	ON	2005/05/26 12:24
L20	350	((((709/206) or (709/207) or (709/223) or (709/224) or (709/225) or (709/248) or (709/245) or (709/232)).CCLS.) and (direct\$ near3 (forward\$ or reply\$ or redirect\$ or respon\$) near4 (message or mail))".ab" and @ad <= "20010711"	US-PGPUB; USPAT	OR	ON	2005/05/26 12:24
L21	0	((((709/206) or (709/207) or (709/223) or (709/224) or (709/225) or (709/248) or (709/245) or (709/232)).CCLS.) and (direct\$ near3 (forward\$ or reply\$ or redirect\$ or respon\$) near4 (message or mail) and (from) near3 (field or box or parameter) and (to) near3 (field or box or parameter))".ab" and @ad <= "20010711"	US-PGPUB; USPAT	OR	ON	2005/05/26 12:24
L22	345	((((709/206) or (709/207) or (709/223) or (709/224) or (709/225) or (709/248) or (709/245) or (709/232)).CCLS.) and (direct\$ near3 (forward\$ or reply\$ or redirect\$ or respon\$) near4 (message or mail) and (address or number))".ab" and @ad <= "20010711"	US-PGPUB; USPAT	OR	ON	2005/05/26 12:24

L23	350	((((709/206) or (709/207) or (709/223) or (709/224) or (709/225) or (709/248) or (709/245) or (709/232)).CCLS.) and (direct\$ near3 (forward\$ or reply\$ or redirect\$ or respon\$) near4 (message or mail)))".ab" and @ad <= "20010711" and ("blind carbon copy" or bcc)	US-PGPUB; USPAT	OR	ON	2005/05/26 12:24
L27	91	((((709/206) or (709/207) or (709/223) or (709/224) or (709/225) or (709/248) or (709/245) or (709/232)).CCLS.) and (direct\$ near3 (forward\$ or reply\$ or redirect\$ or respon\$) near4 (message or mail) and (transparent\$ or "not noticeable")))".ab" and ("blind carbon copy" or bcc) and (@ad <= "20010711")	US-PGPUB; USPAT	OR	ON	2005/05/26 12:24
L28	91	((((709/206) or (709/207) or (709/223) or (709/224) or (709/225) or (709/248) or (709/245) or (709/232)).CCLS.) and (direct\$ near3 (forward\$ or reply\$ or redirect\$ or respon\$) near4 (message or mail) and (transparent\$ or "not noticeable")))".ab" and ("blind carbon copy" or bcc)	US-PGPUB; USPAT	OR	ON	2005/05/26 12:24
L29	91	((((709/206) or (709/207) or (709/223) or (709/224) or (709/225) or (709/248) or (709/245) or (709/232)).CCLS.) and (direct\$ near3 (forward\$ or reply\$ or redirect\$ or respon\$) near4 (message or mail) and (transparent\$ or un-noticeable or unnoticeable or no\$2 adj noticeable)))".ab" and ("blind carbon copy" or bcc)	US-PGPUB; USPAT	OR	ON	2005/05/26 12:24
L30	91	((((709/206) or (709/207) or (709/223) or (709/224) or (709/225) or (709/248) or (709/245) or (709/232)).CCLS.) and (direct\$ near3 (forward\$ or reply\$ or redirect\$ or respon\$) near4 (message or mail) and (transparent\$ or un-noticeable or unnoticeable or (no\$2 adj noticeable))))".ab" and ("blind carbon copy" or bcc)	US-PGPUB; USPAT	OR	ON	2005/05/26 12:24

L32	57	(((((709/206) or (709/207) or (709/223) or (709/224) or (709/225) or (709/248) or (709/245) or (709/232)).CCLS.) and (direct\$ near3 (forward\$ or reply\$ or redirect\$ or respon\$) near4 (message or mail) and (transparent\$ or un-noticeable or unnoticeable or (no\$2 adj noticeable)))".ab" and ("blind carbon copy" or bcc)) and @ad <= "20010711"	US-PGPUB; USPAT	OR	ON	2005/05/26 12:24
L33	26	(((((709/206) or (709/207) or (709/223) or (709/224) or (709/225) or (709/248) or (709/245) or (709/232)).CCLS.) and (direct\$ near3 (forward\$ or reply\$ or redirect\$ or respon\$ or push\$) near4 (message or mail) and (transparent\$ or un-noticeable or unnoticeable or (no\$2 adj noticeable)))".ab" and ("blind carbon copy" or bcc)) and @pd <= "20010711"	US-PGPUB; USPAT	OR	ON	2005/05/26 12:24
L37	1224	(709/206).ccls. and (wireless or mobile) and server	US-PGPUB; USPAT	OR	ON	2005/05/26 12:24
L38	0	((709/206).ccls. and (wireless or mobile) and server).ab.	US-PGPUB; USPAT	OR	ON	2005/05/26 12:24
L39	1224	((709/206).ccls. and (wireless or mobile) and server)	US-PGPUB; USPAT	OR	ON	2005/05/26 12:24
L45	11	((("5577202") or ("5844969") or ("5956521") or ("6138146") or ("6606647"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 12:25
L49	22	((("5706211") or ("5745689") or ("5819284") or ("5838252") or ("5978837") or ("5995597") or ("6018762") or ("6023700") or ("6052563") or ("6138146") or ("6219694"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 12:27
L51	107	((forward or reply or redirect) near3 (message and mail)).ab.) and @ad <= "20010711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 12:27
L55	1161	((forward\$4 or reply\$4 or redirect\$4 or response\$4) near4 (message and mail) and host and (messag\$4 near3 (system or apparatus or method)))	US-PGPUB; USPAT	OR	ON	2005/05/26 12:27

L56	645	((forward\$4 or reply\$4 or redirect\$4 or response\$4) near4 (message and mail) and host and (messag\$4 near3 (system or apparatus or method))) and @ad <"20010711"	US-PGPUB; USPAT	OR	ON	2005/05/26 12:27
L57	0	((forward\$4 or reply\$4 or redirect\$4 or response\$4) near4 (message and mail) and host and (messag\$4 near3 (system or apparatus or method))) and @ad <"20010711") and (to and from) near3 (field or box or parameter)	US-PGPUB; USPAT	OR	ON	2005/05/26 12:27
L58	0	((forward\$4 or reply\$4 or redirect\$4 or response\$4) near4 (message and mail) and host and (messag\$4 near3 (system or apparatus or method))) and @ad <"20010711") and (from) near3 (field or box or parameter) and to near3 (field or box or parameter)	US-PGPUB; USPAT	OR	ON	2005/05/26 12:27
L59	13635	((709/206) or (709/207) or (709/223) or (709/224) or (709/225) or (709/248) or (709/245) or (709/232)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 12:27
L60	9677	((709/206) or (709/207) or (709/223) or (709/224) or (709/225) or (709/248) or (709/245) or (709/232)).CCLS.) and ((forward\$ or reply\$ or redirect\$ or respon\$) and (message or mail)).ab"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 12:27
L61	9677	((709/206) or (709/207) or (709/223) or (709/224) or (709/225) or (709/248) or (709/245) or (709/232)).CCLS.) and ((forward\$ or reply\$ or redirect\$ or respon\$) and (message or mail)).ab" and @ad <= "20010711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 12:27
L62	9677	((709/206) or (709/207) or (709/223) or (709/224) or (709/225) or (709/248) or (709/245) or (709/232)).CCLS.) and ((forward\$ or reply\$ or redirect\$ or respon\$) and (message or mail)).ab" and @ad <= "20010711"	US-PGPUB; USPAT	OR	ON	2005/05/26 12:27